MEDICAL SOCIETY



WNY COVID Working Group Statement on Vaccinations January 11, 2021

Key points:

- → Widespread vaccine use is a critical step in controlling the pandemic and protecting the community's health.
- The Working Group recommends widespread use of vaccines against COVID-19. Healthcare providers should encourage their patients to get vaccinated when it is available.
- The Working Group encourages all healthcare providers and their staff to receive the vaccine themselves to demonstrate their support.
- Data indicate that the vaccines are very effective in preventing symptomatic COVID-19, with side effect profiles similar to other vaccines.
- The known and potential benefits and risks of the vaccine strongly favor its use, in the context of the known severe COVID-19 risks.
- The Working Group supports equitable distribution of vaccines. When vaccine supply is limited, priority should be given to essential employees and those at high risk of severe manifestations of COVID-19. It is important to ensure equitable access for disproportionately affected groups, including people of color.
- Vaccines should be offered only in the order of priority directed by New York State.
- → All people should continue to wear masks, practice social distancing, and avoid groups, even after vaccination. Even though the vaccine prevents symptomatic illness, it may still be possible to carry and transmit the virus after vaccination.

References:

Center for Disease Control and Prevention. (2020, December 22). Ensuring the safety of COVID-19 vaccines in the United States. <u>https://www.cdc.gov/coronavirus/2019-ncov/vaccines/safety.html</u>

Center for Disease Control and Prevention. (2020, November 2). Making a Strong Recommendation for COVID-19 Vaccination. <u>https://www.cdc.gov/vaccines/covid-19/hcp/engaging-patients.html</u>

Center for Disease Control and Prevention. (2021, January 5). Benefits of Getting a COVID-19 vaccine. <u>https://www.cdc.gov/coronavi-rus/2019-ncov/vaccines/vaccine-benefits.html</u>

Signed:

Gale Burstein, MD, MPH Erie County Department of Health

Richard A. Carlson, Jr., MD Primary Care IPA

Richard Charles, MD General Physician, PC

Joe Chow, MD Immediate Care

Tyler Connine, MD UB Emergency Medicine Residency

Tanvir Dara, MD WellNow Urgent Care

Kathleen Dyson, MD Community Pediatric Associates of WNY

Aimana ElBahtity, Esq. Medical Society of Erie County

John Fudyma, MD, MPH Latus Medical Care

Ken Garbarino, MD Family Choice of New York

Kevin Gibbons, MD UBMD Kathleen Grisanti, MD Pediatric and Adolescent Urgent Care of WNY

Ed Heidelberger, MD, PhD Bertrand Chaffee Hospital

Allana Krolikowski, MD Jericho Road

Jeffrey Lackner, PsyD UB Division of Behavioral Medicine

Charlene Ludlow, RN, MHA Erie County Medical Center

James C. Matteliano, DDS Eighth District Dental Society

Jason Matuszak, MD Excelsior Orthopaedics

Mike Merrill, MD, MS, MBA Independent Health

Katherine Mullin, MD Roswell Park Comprehensive Cancer Center

Jamie Nadler, MD Kaleida Health

Margaret Paroski, MD, MMM Catholic Medical Partners Sucharita Paul, MD, MPH UBMD Emergency Medicine

Mark F. Perry, MD BlueCross BlueShield of Western New York

John Sellick, DO, MS VA Western New York Healthcare System

Samuel Shatkin, MD Aesthetic Associates Center

Kevin Shiley, MD Catholic Health

Stephen Turkovich, MD Oishei Children's Hospital

Willie Underwood, MD, MSc, MPH Buffalo Center for Health Equity

Raul Vazquez, MD Urban Family Practice

Rick Vienne, DO Univera Healthcare

Joyce Zmuda, MD Optimum Physician Alliance

The ILI/COVID Working Group of Western New York was formed in response to local variation in approach to the diagnosis and treatment of Influenza-Like-Illness and COVID-19 in the region. It is a collaborative effort of hospital systems, academic departments, independent practice associations, and insurers. The logos and signatures on this document represent the organizations' support of this statement.

Legal Notice and Disclaimer: Please note that the information contained in these resources does not establish a standard of care, nor does it constitute legal or medical advice. These guidelines reflect the best available data at the time the information was prepared. The results of future studies may require revisions to the information in this guideline to reflect new data. This information is not integded to replace individual provider clinical judgment in the care of their patients. Neither this workgroup, or any contributor to this effort, makes any representations or warranties, express or implied, with respect to the information provided herein or to its use.